

### Plants of the Turkey Creek Scientific Area

The Turkey Creek Scientific Area is located in Sections 14, 15, and 23 of Newport Township, R6W, T80N, Johnson County, Iowa. The area which is some 200 acres in extent consists mainly of previously cultivated and grazed lands with very little undisturbed woodland. Adjacent to it, however, is probably one of the richest undisturbed woodlands in the county. The field work which led up to the preparation of this list was originally started in this richer area now owned by Orlo Haman. In the Spring of 1961 the area now called the Turkey Creek Scientific Area was leased to the University of Iowa. After the boundaries of this sector were established it became evident that some of this area overlapped that part which I had been studying, and it was, thus, a simple matter to expand the study to include all of the Turkey Creek area. I have estimated that there are only 10-20 species occurring the woodlands adjacent to the Turkey Creek Scientific Area which are not also found on University lands.

#### Description of the Area

The habitats available to plants range from rich, wooded and moist ravines to open scrublands. There are also some rather rich but dry upland bluffs and slopes. The open areas are all much disturbed. At least one large open field still shows signs of corn stubble from having once been cultivated. The aquatic vegetation is of little importance. This is due mainly to the fluctuations in the level of the Coralville Reservoir. Turkey Creek at this point is an easement for high water in the reservoir, and during the Spring floodtime one must have a boat to get about in the area. It is unlikely that in the future, even with careful avoidance of pollution and other forms of disturbance, that Turkey Creek will ever support a distinctive aquatic flora due to these annual changes in water level. Some "micro habitats" exist in the area. One such is a North-facing limestone talus slope which supports such rare species as *Dirca palustris* and *Trillium nivale*. This slope is located in the extreme North of the University lands. Another such micro habitat is a shaded West-facing limestone bluff about 1/4 mile downstream. This bluff supports a distinctive calcareous flora several species of which are found only here.

#### List of Vascular Plants

In the following list of species I have avoided the use of any phylogenetic scheme but have placed all families in alphabetical order within the major taxa. The genera within families and the species within genera are also thus treated. An asterisk before a name denotes a naturalized species. The word "rare" following a name refers to notations on the frequency of the species as determined by Prof. Robert F. Thorne in his Flora of Johnson County published in the "Proceedings of the Iowa Academy of Science" for 1955, Vol. 62. Any specimens from this area will be on deposit the Herbarium of the University of Iowa.

"Pteridophytes"

Aspleniaceae (Shield Fern Family)

<i>Athyrium filix-femina</i>	Lady Fern
<i>Cystopteris bulbifera</i>	Bladder Fern
<i>Cystopteris fragilis</i>	Fragile Fern
<i>Dryopteris spinulosa</i> (rare)	Evergreen Shield Fern
<i>Onoclea sensibilis</i>	Sensitive Fern
<i>Woodsia obtusa</i>	Fun Fern

Aspleniaceae (Spleenwort Family)

<i>Camptosorus rhizophyllus</i> (rare)	Walking Fern
--	--------------

Equisetaceae (Horsetail Family)

<i>Equisetum arvense</i>	Scouring-rush
--------------------------	---------------

Ophioglossaceae (Adder's-tongue Family)

<i>Botrychium dissectum</i> (rare)	Grape Fern
<i>Botrychium virginianum</i>	Rattlesnake Fern

Osmundaceae (Cinnamon Fern Family)

<i>Osmunda claytoniana</i>	Interrupted Fern
----------------------------	------------------

Pteridaceae (Bracken Family)

<i>Adiantum pedatum</i>	Maidenhair Fern
<i>Pteridium aquilinum</i>	Bracken

Gymnospermae

Cupressaceae

<i>Juniperus virginiana</i>	Red-cedar
-----------------------------	-----------

Dicotyledoneae

Acanthaceae

<i>Ruellia humilis</i>	Ruellia
------------------------	---------

Aceraceae (Maple Family)

<i>Acer negundo</i>	Box-elder
<i>Acer saccharinum</i>	Silver Maple
<i>Acer saccharum</i> (incl. <i>A. nigrum</i> )	Sugar Maple

Arizoaceae (Carpet weed Family)

* <i>Mollugo verticillata</i>	Carpet-weed
-------------------------------	-------------

Amaranthaceae (Cock's-comb Family)

<i>Amaranthus graecizans</i>	Pigweed
* <i>Amaranthus retroflexus</i>	Pigweed

Anacardiaceae (Cashew Family)

*Rhus glabra*  
*Rhus toxicodendron*

Smooth Sumac  
Poison-Ivy

Apiaceae (Umbelliferae) (Parsley Family)

*Cicuta maculata*  
*Cryptotaenia canadensis*  
\**Daucus carota*  
*Osmorhiza claytonii*  
*Osmorhiza longistylis*  
\**Pastinaca sativa*  
*Sanicula canadensis*  
*Sanicula gregaria*  
*Taenidia integerrima* (rare)  
*Thaspium barbinode*

Water-hemlock  
Honewort  
Queen Anne's Lace  
Sweet Cicely  
Anise-root  
Wild Parsnip  
Black Snakeroot  
Black Snakeroot  
Yellow-pimpernel  
Meadow-parsnip

Apocynaceae (Dogbane Family)

*Apocynum androsaemifolium*  
*Apocynum cannabinum*  
*Apocynum sibiricum*

Spreading Dogbane  
Indian-hemp  
Dogbane

Araliaceae (Ginseng Family)

*Aralia nudicaulis*  
*Aralia racemosa*  
*Panax quinquefolius*

Wild-sarsasparilla  
Spikenard  
Ginseng

(This species threatened with extinction by local "seng" hunters who collect it for its presumed powers as a panacea esp. in the orient where material harvested in U.S. is sold).

Aristolochiaceae (Birthwort Family)

*Asarum canadense*

Wild-ginger

Asclepiadaceae (Milkweed Family)

*Asclepias exaltata* (rare)  
*Asclepias incarnata*  
*Asclepias purpurascens*  
*Asclepias syriaca*  
*Asclepias tuberosa*  
*Asclepias verticillata*

Poke Milkweed  
Swamp Milkweed  
Milkweed  
Milkweed  
Butterfly Weed  
White Milkweed

Asteraceae (Compositae) (Aster Family)

*Achillea millefolium*  
*Ambrosia artemisiifolia*  
*Ambrosia trifida*  
*Antennaria neglecta*  
*Antennaria plantaginifolia*  
\**Anthemis cotula*  
\**Arctium minus*  
*Aster azureus*  
*Aster ericoides*  
*Aster sagittifolius*  
*Aster shortii*

Yarrow  
Ragweed  
Giant Ragweed  
Pussytoes  
Lady's-tobacco  
Dog-fennel  
Burdock  
Aster  
Frost Weed  
Arrow-leaved Aster  
Woodland Aster

<i>Bidens cernua</i>	Spanish Needles
<i>Bidens vulgata</i>	Beggar's Ticks
<i>Cacalia muhlenbergii</i> (rare)	Indian-plantain
* <i>Chrysanthemum leucanthemum</i>	Ox-eye Daisy
* <i>Cichroium intybus</i>	Chicory
<i>Cirsium discolor</i>	Field Thistle
* <i>Cirsium vulgare</i>	Bull Thistle
<i>Conyza canadensis</i>	Muletail
<i>Coreopsis palmata</i>	Tickseed
<i>Coreopsis tripteris</i>	Tickseed
<i>Eclipta alba</i>	Coneflower
<i>Erigeron annus</i>	Fleabane Daisy
<i>Erigeron strigosus</i>	Fleabane Daisy
<i>Eupatorium maculatum</i>	Joe-Pye Weed
<i>Eupatorium perfoliatum</i>	Boneset
<i>Eupatorium purpureum</i>	Joe-Pye Weed
<i>Eupatorium rugosum</i>	White Snakeroot
<i>Gnaphalium obtusifolium</i>	Everlasting
<i>Helenium autumnale</i>	Sneezeweed
* <i>Helianthus annus</i>	Common Sunflower
<i>Helianthus grosseserratus</i>	Sunflower
<i>Helianthus strumosus</i>	Wood Sunflower
<i>Heliospis helianthoides</i>	Oxeye
<i>Krigia biflora</i>	Cynthia
<i>Lactuca canadensis</i>	Wild Lettuce
<i>Lactuca floridana</i>	Blue lettuce
* <i>Lactuca scariola</i>	Prickly lettuce
* <i>Matricaria matricarioides</i>	Pineapple Weed
<i>Poenanthes alba</i>	Rattlesnake-root
<i>Rudbeckia laciniata</i>	Tall Coneflower
<i>Rudbeckia serotina</i>	Black-eyed Susan
<i>Rudbeckia triloba</i>	Black-eyed Susan
<i>Silphium integrifolium</i>	Rosin Weed
<i>Silphium perfoliatum</i>	Cup Plant
<i>Solidago altissima</i>	Tall Goldenrod
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod
<i>Solidago gigantea</i>	Smooth Goldenrod
<i>Solidago ulmifolia</i>	Woodland Goldenrod
<i>Taraxacum erythrospermum</i>	Dandelion
<i>Taraxacum officinale</i>	Dandelion
* <i>Tragopogon dubius</i>	Goat's-beard
<i>Vernonia fasciculata</i>	Ironweed
<i>Xanthium strumarium</i>	Cocklebur

Balsaminaceae (Touch-me-not Family)

*Impatiens biflora*  
*Impatiens pallida*

Touch-me-not  
 Touch-me-not

Berberidaceae (Barberry Family)

\**Berberis thunbergii*  
*Caulophyllum thalictroides*  
*Podophyllum peltatum*

Japanese Barberry  
 Blue Cohosh  
 Mayapple

Betulaceae (Birch Family)

*Betula nigra*  
*Carpinus caroliniana*  
*Corylus americana*  
*Ostrya virginiana*

River Birch  
 Blue-beech, Hornbeam, Muscle-wood  
 Hazelnut  
 Hop-hornbeam

Boraginaceae (Borage Family)

*Hackelia virginiana*  
*Mertensia virginica*

Stickseed, Beggar's Lice  
 Bluebells, Cowslips

Brassicaceae (Cruciferae) (Mustard Family)

\**Barbarea vulgaris*  
 \**Brassica nigra*  
 \**Capsella bursa-pastoris*  
*Dentaria laciniata*  
 \**Erysimum cheiranthoides*  
 \**Lepidium campestre*  
 \**Lepidium densiflorum*  
*Lepidium virginicum*  
*Rorippa sessiliflora*  
 \**Thlaspi arvense*

Yellow-rocket  
 Black Mustard  
 Shepherd's Purse  
 Toothwort  
 Wormseed Mustard  
 Cow Cress  
 Peppergrass  
 Poor-man's Pepper  
 Marsh Cress  
 Penny Cress

Campanulaceae (Bluebell Family)

*Campanula americana*  
*Lobelia inflata*  
*Lobelia siphilitica*  
*Lobelia spicata*  
*Triodanis perfoliata*

Tall Bellflower  
 Indian-tobacco  
 Lobelia  
 Lobelia  
 Venus' Looking-glass

Capparidaceae (Caper Family)

*Polanisia graveolens*

Clammyweed

Caprifoliaceae (Honeysuckle Family)

*Tonicera prolifera*  
*Sambucus canadensis*  
*Triosteum perfoliatum*  
*Viburnum lentago*  
*Viburnum rafinesquianum*

Wild Honeysuckle  
 Elderberry  
 Horse-gentian  
 Nannyberry  
 Arrowwood

Caryophyllaceae (Pink Family)

*Arenaria lateriflora*  
*\*Dianthus armeria*  
*\*Saponaria officinalis*  
*\*Stellaria media*

Sandwort  
 Depthford Pink  
 Bouncing Bet  
 Chickweed

Celastraceae (Bittersweet Family)

*Celastrus scandens*  
*Euonymus atropurpureus*

Bittersweet  
 Wahoo

Chenopodiaceae (Goosefoot Family)

*\*Chenopodium album*  
*\*Chenopodium ambrosioides*  
*Chenopodium gigantospermum*

Lamb's-quarters  
 Mexican-tea  
 Goosefoot

Convolvulaceae (Morning Glory Family)

*Convolvulus sepium*

Wild-morning-glory

Cornaceae (Dogwood Family)

*Cornus alternifolia*  
*Cornus drummondii*  
*Cornus racemosa*  
*Cornus rugosa*

Pagoda Tree  
 Dogwood  
 Gray Dogwood  
 Speckled Dogwood

Ericaceae (Heath Family)

*Monstropa uniflora*  
*Pyrola elliptica* (rare)

Indian Pipe  
 Shinleaf

Euphorbiaceae (Spurge Family)

*Acalypha rhomboidea*  
*Euphorbia corollata*  
*Euphorbia heterophylla*  
*Euphorbia maculata*  
*Euphorbia supina*

Three-seeded Mercury  
 Flowering Spurge  
 Wild Poinsettia  
 Spotted Spurge  
 Milk-purslane

Fabaceae (Leguminosae) (Sweet Pea Family)

*Amorpha canescens*  
*Amphicarpa bracteata*  
*Cassia fasciculata*  
*Desmodium canadense*  
*Desmodium glutinosum*  
*Desmodium nudiflorum*  
*Gleditsia triacanthos*  
*Lespedeza capitata*

Leadplant  
 Hog-peanut  
 Partridge-pea  
 Tick Trefoil  
 Tick Trefoil  
 Tick Trefoil  
 Honey Locust  
 Bush-clover

* <i>Lotus corniculata</i>	Bird Trefoil
* <i>Medicago lupulina</i>	Black Medic
* <i>Medicago sativa</i>	Alfalfa
* <i>Melilotus alba</i>	Sweet clover
* <i>Melilotus officinalis</i>	Sweet clover
* <i>Robinia pseudo-acacia</i>	Black Locust
* <i>Trifolium hybridum</i>	Alsike Clover
* <i>Trifolium pratense</i>	Red clover
* <i>Trifolium repens</i>	White clover

Fagaceae (Beech Family)

<i>Quercus alba</i>	White Oak
<i>Quercus macrocarpa</i>	Bur Oak
<i>Quercus rubra</i>	Red Oak
<i>Quercus velutina</i>	Black Oak

Geraniaceae (Geranium Family)

<i>Geranium carolinianum</i>	Cranesbill
<i>Geranium maculatum</i>	Wild Cranesbill

Hydrophyllaceae (Waterlead Family)

<i>Ellisia nyctelea</i>	
<i>Hydrophyllum virginianum</i>	Waterlead

Hypericaceae (Guttiferae) (St. John's-wort Family)

<i>Hypericum punctatum</i>	St. John's-wort
<i>Hypericum pyramidatum</i>	St. John's-wort
<i>Hypericum spaerocarpum</i>	St. John's-wort

Juglandaceae (Walnut Family)

<i>Carya cordiformis</i>	Bitternut Hickory
<i>Carya ovata</i>	Shagbark Hickory
<i>Juglans cinerea</i>	Butternut
<i>Juglans nigra</i>	Black Walnut

Lamiaceae (Mint Family)

<i>Agastache nepetoides</i>	Giant hyssop
<i>Agastache scrophulariaefolia</i>	Giant hyssop
* <i>Glechoma hederacea</i>	Gill-over-the-ground
* <i>Leonurus cardiaca</i>	Motherwort
<i>Lycopus americanus</i>	Water-hoarhound
<i>Lycopus virginicus</i>	Bugleweed
<i>Mentha arvensis</i>	Wild Mint
<i>Monarda fistulosa</i>	Wild-bergamot
* <i>Nepeta cataria</i>	Catnip
<i>Physostegia parviflora</i>	False-dragonhead
<i>Prunella vulgaris</i>	Selfheal
<i>Pycnanthemum pilosum</i>	Mountain Mint
<i>Pycnanthemum virginianum</i>	Mountain Mint
<i>Scutellaria lateriflora</i>	Scullcap
<i>Scutellaria ovata</i>	Scullcap

<u>Teucrium canadense</u>	Germander
<u>Lythraceae</u> (Loosestrife Family) <i>Lythrum alatum</i>	Loosestrife
<u>Malvaceae</u> (Hollyhock Family) * <i>Abutilon theophrasti</i> * <i>Malva neglecta</i>	Buttonweed
<u>Menispermaceae</u> (Moonseed Family) <i>Menispermum canadense</i>	Moonseed
<u>Moraceae</u> (Mulberry Family) * <i>Cannabis sativa</i> * <i>Humulus japonicus</i> <i>Humulus lupulus</i> (rare) * <i>Morus alba</i>	Marijuana Hops Common Hops Mulberry Tree
<u>Nyctaginaceae</u> (Four-o'-clock Family) <i>Mirabilis nyctaginea</i>	Wild Four-o' clock
<u>Oleaceae</u> (Lilac and olive family) <i>Fraxinus americana</i> <i>Fraxinus nigra</i> <i>Fraxinus pennsylvanica</i>	White Ash Black Ash Green Ash
<u>Onagraceae</u> (Evening-primrose Family) <i>Circea quadrangularis</i> <i>Oenothera biennis</i> <i>Oenothera rhombipetala</i>	Enchanter's-nightshade Evening-primrose Evening-primrose
<u>Oxalidaceae</u> (Wood-sorrel Family) <i>Oxalis europea</i> <i>Oxalis stricta</i>	Lady's-sorrel Lady's-sorrel
<u>Papaveraceae</u> (Poppy Family) <i>Dicentra cucullaria</i> <i>Sanguinaria canadensis</i>	Dutchman's Breeches Bloodroot
<u>Penthoraceae</u> (Ditch-stonecrop Family) <i>Penthorum sedoides</i>	Ditch-stonecrop
<u>Phrymaceae</u> (Lopseed Family) <i>Phryma leptostachya</i>	Lopseed
<u>Plantaginaceae</u> (Plantain Family) <i>Plantago aristata</i> * <i>Plantago major</i> <i>Plantago rugelii</i>	Blue Weed Yard Plantain Plantain

Polemoniaceae (Phlox Family)

*Phlox divaricata*  
*Polemonium reptans*

Blue Phlox  
Jacob's ladder

Polygalaceae (Milkwort Family)

*Polygala senega*

Seneca Snakeroot

Polygonaceae (Buckwheat Family)

\**Polygonum aviculare*  
\**Polygonum convolvulus*  
*Polygonum erectum*  
*Polygonum hydropiper*  
*Polygonum pensylvanicum*  
*Polygonum sagittatum*  
*Polygonum scandens*  
*Polygonum virginianum*  
\**Rumex acetosella*  
*Rumex altissimus*  
\**Rumex crispus*  
*Rumex verticillatus*

Knotweed  
Black Bindweed  
Knotweed  
Water-popper  
Pinkweed  
Tear-thumb  
Climbing-buckwheat  
Johnny Jumpseed  
Sheep-sorrel, Sour Dock  
Dam Dock  
Curly Dock  
Water Dock

Portulacaceae (Purslane Family)

*Claytonia virginica*  
\**Portulaca oleracea*

Spring Beauty  
Purslane

Primulaceae (Primrose Family)

*Dodecatheon meadia*  
*Lysimachia ciliata*  
\**Lysimachia numularia*

Shooting Star  
Fringed Loosestrife  
Moneywort

Ranunculaceae (Buttercup Family)

*Actaea pachypoda*  
*Actaea rubra*  
*Anemone canadensis*  
*Anemone quinquefolia*  
*Anemone virginiana*  
*Anemonella thalictroides*  
*Aquilegia canadensis*  
*Clematis pitcheri*  
*Hepatica acutiloba*  
*Isopyrum biternatum*  
*Ranunculus abortivus*  
*Ranunculus septentrionalis*  
*Thalictrum dasycarpum*

White Baneberry  
Red Baneberry  
Meadow Anemone  
Wood Anemone  
Wildflower  
Rue-anemone  
Columbine  
Leather Flower  
Hepatica  
Rue-anemone  
Crowfoot  
Buttercup  
Meadow-rue

Rhamnaceae (Buckthorn Family)

*Ceanothus americanus*  
*Rhamnus lanceolata*

New Jersey-tea  
Buckthorn

Rosaceae (Rose Family)

*Agrimonia gryposepala*

Agrimony

<i>Agrimonia pubescens</i>	Agrimony
<i>Amelanchier arborea</i>	Shadbush
<i>Crataegus margareta</i>	Hawthorn
<i>Fragaria vesca</i>	Strawberry
<i>Fragaria virginiana</i>	Strawberry
<i>Geum canadense</i>	White Avens
<i>Physocarpus opulifolius</i> (rare)	Ninebark
<i>Potentilla norvegica</i>	Rough Cinquefoil
<i>Potentilla recta</i>	Sulfur Cinquefoil
<i>Potentilla simplex</i>	Cinquefoil
<i>Prunus americana</i>	Wild Plum
<i>Prunus serotina</i>	Wild Black Cherry
<i>Pyrus ioensis</i>	Crab Apple
<i>Rosa carolina</i>	Wild Rosse
<i>Rubus allegheniensis</i>	Blackberry
<i>Rubus occidentalis</i>	Black Raspberry

Rubiaceae (Madder Family)

<i>Cephalanthus occidentalis</i>	Buttonbush
<i>Galium aparine</i>	Cleavers
<i>Galium circaeans</i>	Wild-liquorice
<i>Galium concinnum</i>	Bedstraw
<i>Galium triflorum</i>	Bedstraw

Rutaceae (Citrus Family)

<i>Xanthoxylum americanum</i>	Prickly-ash
-------------------------------	-------------

Salicaceae (Willow Family)

<i>Populus deltoides</i>	Cottonwood
<i>Populus grandidentata</i>	Big Tooth Aspen
<i>Populus tremuloides</i>	Quaking Aspen
<i>Salix fragilis</i>	Crack Willow
<i>Salix nigra</i>	Black Willow
<i>Salix rigida</i>	Willow

Santalaceae (Sandalwood Family)

<i>Commandra richardsiana</i>	Bastard-toadflax
-------------------------------	------------------

Saxifragaceae (Incl. Hydrangeaceae) (Gooseberry Family)

<i>Heuchera richardsonii</i>	Alum Root
<i>Mitella diphylla</i>	Mitrewort
<i>Ribes cynosbati</i>	Prickly Gooseberry
<i>Ribes missouriense</i>	Wild Gooseberry
<i>Saxifraga pensylvanica</i>	Swamp Saxifrage

Scrophulariaceae (Snapdragon Family)

<i>Mimulus ringens</i>	Monkey Flower
<i>Scrophularia marilandica</i>	Figwort
* <i>Verbascum blattaria</i>	Moth Mullein
* <i>Verbascum phlomoides</i>	Mullein
* <i>Verbascum thapsus</i>	Mullein

<i>Veronica peregrino</i>	Neckweed
<i>Veronicastrum virginicum</i>	Culver's Root
<b><u>Solanaceae</u></b> (Tomato Family)	
* <i>Datura stramonium</i>	Jimsonweed
* <i>Lycium halimifolium</i> (rare)	Matrimony Vine
<i>Physalis heterophylla</i>	Ground-cherry
<i>Physalis longifolia</i>	Ground-cherry
* <i>Solanum carolinense</i>	Horse-nettle
* <i>Solanum nigrum</i>	Black Nightshade
<b><u>Staphylleaceae</u></b> (Bladder Nut Family)	
<i>Staphylea trifolia</i>	Bladder Nut
<b><u>Thymelaeaceae</u></b> (Oleaster Family)	
<i>Dirca palustris</i> (rare)	Leatherwood
<b><u>Tiliaceae</u></b> (Linden Family)	
<i>Tilia americana</i>	Basswood
<b><u>Ulmaceae</u></b> (Elm Family)	
<i>Celtis occidentalis</i>	Hackberry
<i>Ulmus americana</i>	Elm
<i>Ulmus rubra</i>	Slippery Elm
<b><u>Urticaceae</u></b> (Nettle Family)	
<i>Laportea canadensis</i>	Wood Nettle
<i>Parietaria pensylvanica</i>	Pellitory
<i>Pilea pumila</i>	Clearwood
<i>Urtica dioica</i>	Stinging Nettle
<b><u>Verbenaceae</u></b> (Vervain Family)	
<i>Lippia lanceolata</i>	Fog-fruit
<i>Verbena bracteata</i>	Vervain
<i>Verbena hastata</i>	Blue Vervain
<i>Verbena stricta</i>	Blue Vervain
<i>Verbena urticifolia</i>	White Vervain
<b><u>Violaceae</u></b> (Violet Family)	
<i>Viola missouriensis</i>	Missouri Violet
<i>Viola pennsylvanica</i>	Yellow Violet
<i>Viola sororia</i>	Blue Violet
<b><u>Vitaceae</u></b> (Grape Family)	
<i>Parthenocissus quinquefolia</i>	Virginia Creeper
<i>Parthenocissus vitacea</i>	Virginia Creeper
<i>Vitis riparia</i>	Wild Grape

## Monocotyledoneae

<u>Alismataceae</u> (Water-plantain Family)	
<i>Alisma subcordatum</i>	Water-plantain
<i>Sagittaria latifolia</i>	Arrowhead weed
<u>Amaryllidaceae</u> (Amaryllis Family)	
<i>Allium canadense</i>	Wild-onion
<i>Allium tricoccum</i>	Wild-leek
<u>Araceae</u> (Arum Family)	
<i>Arisaema dracontium</i>	Green Dragon
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit
<u>Commelinaceae</u> (Spiderwort Family)	
<i>Tradescantia ohiensis</i>	Spiderwort
<u>Cyperaceae</u> (Sedge Family)	
<i>Carex albursina</i>	Sedge
<i>Carex blanda</i>	
<i>Carex grayii</i>	
<i>Carex hirtifolia</i>	
<i>Carex oligocarpa</i> (rare)	
<i>Carex pennsylvanica</i>	
<i>Carex rosea</i>	
<i>Carex sparganioides</i>	
<i>Carex stipata</i>	
<i>Carex vulpinoidea</i>	
<i>Cyperus strigosus</i>	Galingale
<i>Scirpus atrovirens</i>	Bulrush
<u>Dioscoreaceae</u> (Yam Family)	
<i>Dioscorea villosa</i>	Wild Yam
<u>Iridaceae</u> (Iris Family)	
<i>Sisyrinchium angustifolium</i> (rare)	Blue-eyed Grass
<u>Juncaceae</u> (Rush Family)	
<i>Juncus tenuis</i>	Path Rush
<u>Lemnaceae</u> (Duckweed Family)	
<i>Limnaea minor</i>	Duckweed
<u>Liliaceae</u> (Lily Family)	
<i>*Asparagus officinalis</i>	Asparagus
<i>Erythronium albidum</i>	Dog-tooth-violet
<i>Polygonatum canaliculatum</i>	Solon's Seal
<i>Smilacina racemosa</i>	False Solomon's Seal
<i>Uvularia grandiflora</i>	Bellwort

Orchidaceae (Orchid Family)

<i>Aplectrum hyemale</i> (rare)	Putty-root
<i>Cypripedium calceolus</i> (rare)	Yellow Lady-slipper
<i>Orchis spectabilis</i>	Showy Orchis

Poaceae (Gramineae) (Grass Family)

* <i>Agropyron repens</i>	Quack Grass
* <i>Agrostis alba</i>	Redtop
<i>Agrostis hyemalis</i>	Tickle Grass
* <i>Avena sativa</i>	Oats
<i>Brachyeletrum erectum</i>	
* <i>Bromus inermis</i>	Brome
<i>Bromus purgans</i>	Brome
* <i>Bromus tectorum</i>	Cheat
<i>Calamagrostis canadensis</i>	Blue-joint
<i>Cinna arundinacea</i>	Reedgrass
* <i>Dactylis glomerata</i>	Orchard Grass
<i>Diarrhena americana</i> (rare)	
<i>Digitaria ischaemum</i>	Crab Grass
* <i>Echinochloa crusgalli</i>	Barnyard Grass
<i>Elymus canadensis</i>	Wild-rye
<i>Elymus villosus</i>	Wild-rye
* <i>Eragrostis cilianensis</i>	Stink Grass
<i>Eragrostis pectinacea</i>	Stink Grass
<i>Festuca obtusa</i>	Fescue
<i>Glyceria striata</i>	Manna Grass
<i>Hordeum jubatum</i>	Squirreltail Grass
<i>Hystrix patula</i>	Bottle-brush Grass
* <i>Lolium multiflorum</i>	Italian Rye-grass
<i>Muhlenbergia fondosa</i>	Muhly
<i>Muhlenbergia schreberi</i>	Muhly
<i>Oryzopsis racemosa</i> (rare)	Mountain Rice
(This species previously unreported in Johnson County)	
<i>Panicum implicatum</i>	Panic Grass
<i>Panicum latifolium</i>	Panic Grass
<i>Panicum virgatum</i>	Switchgrass
* <i>Phleum pratense</i>	Timothy
* <i>Poa compressa</i>	Blue Grass
* <i>Poa pratensis</i>	Kentucky Blue Grass
* <i>Setaria verticillata</i>	Foxtail
* <i>Setaria viridis</i>	Foxtail

Smilacaceae (Greenbriar Family)

<i>Smilax ecirrhata</i>	Carion-flower
<i>Smilax herbacea</i>	Carion-flower
<i>Smilax hispida</i>	Greenbrier

Trilliaceae (Trillium Family)

<i>Trillium flexipes</i> (rare)	Trillium
<i>Trillium nivale</i>	Snow Trillium

### Statistical Summary

1. Components of the Flora of the Turkey Creek Scientific Area:

Major Groups	Families	Genera	Species	
			Native	Naturalized
"Pteridophytes"	6	11	13	0
Conifers	1	1	1	0
Dicotyledons	68	199	258	57
Monocotyledons	14	46	55	15
<b>Totals</b>	<b>89</b>	<b>257</b>	<b>327</b>	<b>72</b>

2. Total number of species of vascular plants: 399.

3. Fifteen families are represented by 6 or more species:

Apiaceae	18	Poaceae	34
Aspidiaceae	6	Polygonaceae	12
Asclepiadaceae	6	Ranunculaceae	13
Asteraceae	54	Rosaceae	17
Brassicaceae	10	Salicaceae	6
Cyperaceae	12	Scrophulariaceae	7
Fabaceae	17	Solanaceae	6
Lamiaceae	16		

4. Thirty-four genera are represented by 3 or more species.

5. The three largest genera:

Asclepias	6
Polygonum	8
Carex	10

### Conclusion

It is hoped that more work will be done on the biology of this area in the future. Perhaps one of the most interesting studies would certainly be in the field of Plant and Animal Ecology.

Any errors or omissions which appear in this list are my own, and I hope they will be brought to my attention.

Paul D. Sorensen  
 Dept. of Botany  
 University of Iowa